

WON WON WO



F 0 R INNOVATION COLLECTION THE

WON WON WON WON WON WO

WON WON WON WON

WON WON WON WO

WON WON WON WON WO



### YANKEE COUPE (11-1000)

- TUFF SHELL Full Nylon Cover with Zipper
- Double Webbing Foam Handles with Knuckle Guards
- 11 INCH 4K EZ TOW CONNECTOR INCLUDED
- EVA Foam Pads
- · Heavy-Gauge PVC Bladder
- Speed Valve for Fast Inflation and Deflation
- High Back Rest For Relaxing when Lounging
- Ride 2 Chariot Style or 1 Person Jockey Style · Large Zippered Cooler • From Towable to a Floating Lounge by Flipping
- out the 2 Flip Lounge Foot Rest and Experience Ultimate Comfort at the River, Lake, or Pool
- 2 Cup Holders for Beverages When Lounging Dimensions Inflated 76 x 54 IN





ON MON MON MO











### **YANKEE LIMO** (11-1010) • TUFF SHELL Full Nylon Cover with Zipper

- Double Webbing Foam Handles with
- Knuckle Guards • 11 INCH 4K EZ TOW CONNECTOR INCLUDED
- EVA Foam Pads
- · Heavy-Gauge PVC Bladder
- . Speed Valve for Fast Inflation and Deflation
- High Back Rest For Relaxing when Lounging Ride Up to 4 Riders
- Multiple Riding Positions
- Large Zippered Cooler
- 2 Cup Holders for Beverages when Lounging
- Makes a Great Towable, Lounge, and Island
- Great Floating Island for River or Lake
- Dimensions Inflated 92 x 78 IN











- Double Webbing Foam Handles with Knuckle Guards
- 11 INCH 4K EZ TOW CONNECTOR INCLUDED
- EVA Foam Pads
- · Heavy-Gauge PVC Bladder
- . Multi Tow Construction for Front and Back Tow Points
- TUFF SHELL Full Nylon Cover with Zipper . High Back Rest for Secure Riding
  - Multiple Rider Positions TEETER TOTTER Bottom Construction
  - Lean Side to Side for Up and Down TEETER TOTTER Action
  - Ride it Chariot Style with Back Tow Point
  - Speed Valve for Fast Inflation and Deflation
  - Dimensions Inflated 78 x 72 IN





### **SKILZ TUBE** (11-1050) • TUFF SHELL Full Nylon Cover with Zipper

- Heavy-Gauge PVC Bladder . Double Webbing Foam Handles
- with Knuckle Guards
- · EVA Foam Pad
- Heavy-Duty Aluminum Tow Point
- Reinforced SPIN SLALOM Towing System
- REMOVABLE SLALOM Tech Spin Steer Fins . Lean Side to Side to Slalom
- · Lean Back and Forth to Spin
- CRESCENT MOON Bottom Construction to allow Slaloming and Spinning
- Speed Valve for Fast Inflation and Deflation

# Dimensions Inflated 90 x 64 IN

- WATER WIZARD (11-1030) WIRED FOR SOUND READY SYSTEM (sold separately
- Heavy-Gauge PVC Bladder
- Double Webbing Foam Handles with Knuckle Guards
- 11 INCH 4K EZ TOW CONNECTOR INCLUDED
- · EVA Foam Pads
- . HORSESHOE Back Rest for Secure Riding
- Multi Tow Construction for
- Front and Back Tow Points
- TUFF SHELL Full Nylon Cover with Zipper Great Floating Lounge/Island for River or Lake
  - 2 Molded Cup Holders with Zipper Covers
  - 3 Zippered Coolers/Storage Compartments . Ride it like a Deck Tube with Front Tow Point
  - Ride it Chariot Style with Back Tow Point
  - Speed Valve for Fast Inflation and Deflation
  - Dimensions Inflated 76 x 74 IN

  - Dimensions Deflated 82 x 82 IN











SOUND READY SYSTEM INCLUDES 2 SPEAKERS/WATER TIGHT HOOK UP FOR MP3 • I POD • I PHONE

# **BIG BUBBA** (11-1150)

- FRONT and BACK TOW POINTS
- Ride it Chariot Style with Back Tow Point
- TUFF SHELL Full Nylon Cover with Zipper Double Webbing Foam Handles
- with Knuckle Guards
- EVA Foam Seat/Knee Pads Heavy-Gauge PVC Bladder
- Secure Comfortable Riding Ride it Chariot Style with Back Tow Point
- Great for Lounging Experience Ultimate Comfort at the River, Lake, or Beach

. High Back Rest Riser with Side Walls for

- Speed Valve for Fast Inflation and Deflation
- Dimensions Inflated 66 x 60 IN





- . Ride it Chariot Style with Back Tow Point

SUPER BUBBA (11-1160)

- TUFF SHELL Full Nylon Cover with Zipper • Double Webbing Foam Handles
- with Knuckle Guards
- EVA Foam Seat/Knee Pads · Heavy-Gauge PVC Bladder
- . High Back Rest Riser with Side Walls for Secure Comfortable Riding
- Ride it Chariot Style with Back Tow Point Great for Lounging Experience Ultimate
- Comfort at the River, Lake, or Beach
- · Speed Valve for Fast Inflation and Deflation • Dimensions Inflated 75 x 73 IN
- FRONT AND BACK TOW POINTS



- GIANT BUBBA (11-1170) . FRONT and BACK TOW POINTS
- Ride it Chariot Style with Back Tow Point
- TUFF SHELL Full Nylon Cover with Zipper • Double Webbing Foam Handles
- with Knuckle Guards
- EVA Foam Seat/Knee Pads · Heavy-Gauge PVC Bladder
- · High Back Rest Riser with Side Walls for Secure Comfortable Riding · Ride it Chariot Style with Back Tow Point
- · Great for Lounging Experience Ultimate Comfort at the River, Lake, or Beach
- · Speed Valve for Fast Inflation and Deflation
- Dimensions Inflated 87 x 80 IN



COVER LOUNGE

COVER LOUNGE

\*SUPERBUBBA

\* GIANT BUBBA











**3** 

### THRILLER (11-1060) • TUFF SHELL Full Nylon Cover with Zipper

- · Heavy-Gauge PVC Bladder
- . Double Webbing Foam Handles with Knuckle Guards
- EVA Foam Pad
- · Reinforced Towing System Speed Valve for Fast Inflation and Deflation
- · Zippered Valve Cover • Custom Designer Graphics • Tapered Construction Higher in the

Zippered Valve Cover

• 1or 2 Riders

Front than Back to Prevent Submarining and Give the Rider Wild Wake Action

• Tapered Construction Higher in the

Front than Back to Prevent Submarining

and Give the Rider Wild Wake Action

 Dimensions Inflated 50 x 48 IN • Dimensions Deflated 54 x 54 IN






WOW





### **BIG THRILLER** (11-1070) • TUFF SHELL Full Nylon Cover with Zipper

- · Heavy-Gauge PVC Bladder Double Webbing Foam Handles
- with Knuckle Guards EVA Foam Pad
- Reinforced Towing System . Speed Valve for Fast Inflation and Deflation
  - Dimensions Inflated 60 x 56 IN . Dimensions Deflated 66 x 62 IN





EYE RIDE!



**ELI** 

ÜÜ





COVER

FULL

COVER

NOWWILL ONE



# **SUPER THRILLER** (11-1080)

- TUFF SHELL Full Nylon Cover with Zipper
- . Double Webbing Foam Handles
- with Knuckle Guards • EVA Foam Pad
- · Reinforced Towing System
- . Speed Valve for Fast Inflation and Deflation
- · Zippered Valve Cover • 1, 2, or 3 Riders
- Tapered Construction Higher in the Front than Back to Prevent Submarining and Give the Rider Wild Wake Action
- Dimensions Inflated 75 x 62 IN
- Dimensions Deflated 80 x 68 IN

### TAPERED CONSTRUCTION FOR WILD WAKE ACTION



- TUFF SHELL Full Nylon Cover with Zipper
- . Heavy-Gauge PVC Bladder
- · Double Webbing Foam Handles with Knuckle Guards
- EVA Foam Pad
- Reinforced Towing System
- . Speed Valve for Fast Inflation and Deflation
- · Zippered Valve Cover • 1. 2. 3. or 4 Riders
- . Tapered Construction Higher in the Front than Back to Prevent Submarining and Give the Rider Wild Wake Action
- . Dimensions Inflated 90 x 66 IN
- Dimensions Deflated 98 x 72 IN







- · Heavy-Gauge PVC Bladder
- . Double Webbing Foam Handles with Knuckle Guards
- Deep Cockpit Construction with High Headrest for Secure and Extreme Riding
- Reinforced Tow System
- · Speed Valve for Fast Inflation and Deflation
  - . Oversized Heavy-Duty Construction to Prevent Submarining and Give the Rider Secure Wild Wake Action
  - · Great for Kids Yet Wild for the Extreme Riders
  - Dimensions Inflated 54 x 48 IN
  - Dimensions Deflated 60 x 52 IN









- TUFF SHELL Full Nylon Cover with Zipper Heavy-Gauge PVC Bladder
- Double Webbing Foam Handles with Knuckle Guards
- Deep Cockpit Construction with High Headrest for Secure and Extreme Riding
- Reinforced Tow System
- . Speed Valve for Fast Inflation and Deflation Oversized Heavy-Duty Construction to
  - Prevent Submarining and Give the Rider Secure Wild Wake Action Great for Kids Yet Wild for the Extreme Riders
  - Dimensions Inflated 76 x 64 IN
  - . Dimensions Deflated 80 x 68 IN









O World BUNCH

NOW WI'M RIDE

### **WILD BUNCH** (11-1120)

• TUFF SHELL Full Nylon Cover with Zipper

Deep Cockpit Construction with High

- · Heavy-Gauge PVC Bladder Double Webbing Foam Handles
- with Knuckle Guards
- Headrest for Secure and Extreme Riding
- Reinforced Tow System
- Speed Valve for Fast Inflation and Deflation Oversized Heavy-Duty Construction to
- Prevent Submarining and Give the Rider Secure Wild Wake Action
- . Great for Kids Yet Wild for the Extreme Riders
- . Dimensions Inflated 100 x 66 IN
- Dimensions Deflated 108 x 72 IN









EYE RIDE!





THE CHES

NONNO

ON MON MO.





PARTIAL

FULL

COVER

 $\star$ 

COVER







- TUFF SHELL Partial Nylon Cover
- . Heavy-Gauge PVC Bladder • Double Webbing Foam Handles
- with Knuckle Guards
- Flat Foam Handles
- · Reinforced Towing System
- . Speed Valve for Fast Inflation and Deflation
- · Zippered Valve Cover
- · Custom Designer Graphics . Heavy-Duty Arrow Shape Construction for Stability and More Control for the Rider
- Dimensions Inflated 50 x 48 IN
- Dimensions Deflated 54 x 50 IN

TUFF SHELL PARTIAL NYLON COVER WITH REINFORCED TOW SYSTEM



# **BIG BOY** (11-1140)

- TUFF SHELL Partial Nylon Cover
- · Heavy-Gauge PVC Bladder
- Air Cushioned Floor for Comfort Riding . Double Webbing Foam Handles
- with Knuckle Guards
- · Reinforced Towing System Speed Valve for East Inflation and Deflation
- · Zippered Valve Cover
- Custom Designer Graphics . Heavy-Duty Arrow Shape Construction for
- Stability and More Control for the Rider Great Ride for Adults and Kids
- Dimensions Inflated 69 x 69 IN
- Dimensions Deflated 79.5 x 78 IN



### RIVER ROVER (11-2020)

- TUFF SHELL Full Nylon Cover with Zipper Heavy-Gauge PVC Bladder
- · Large Headrest Storage Locker
- . Lounge with Headrest and Floating Flip Out Footrest for Ultimate Comfort and Relaxation Anywhere
- . Water Vent for Cool Comfort Seating
- Ergonomic Armrest and Headrest for Relaxation · Zippered Valve Cover
- Speed Valve for Fast Inflation and Deflation
- 2 on Board Zippered Beverage Coolers/Storage
- Compartments with 2 Cup Holders
- · Great for Pool, Lake, or River Tubing
- Dimensions Inflated 49 x 44 IN

# FLIP LOUNGE WITH 2 COOLERS & STORAGE LOCKER





· Heavy-Gauge PVC Bladder

. Tote Handle for easy transport

. High Backrest with Deep Cockpit Seating

with floating flip lounge footrest for Ultimate Comfort and Relaxation

· Water Vent for Cool Comfort Seating

- Ergonomic Armrest and Headrest for Relaxation Secure Zippered Valve Cover
- Speed Valve for Fast Inflation and Deflation
- 2 on Board Zippered Beverage Coolers/Storage Compartments with Built in Custom Cup Holders
- . Great for Pool, Beach, Lake, River Tubing
- Dimensions Inflated 52 x 46 IN

# DUAL COOLERS FLIP LOUNGE FOOTREST







# Heavy-Gauge PVC Construction

- . HIGH BACK Backrest with Deep Ergonomic Seating with Floating Flip Lounge Footrest for Ultimate
- Comfort and Relaxation
- · Ergonomic Armrest and Headrest Water Vent for Cool Comfort Seating
- **HIDEAWAY FLIP LOUNGE** (11-2010) HUGE HIDEAWAY Backrest Zippered
  - Storage Gear Pocket Speed Valve for Fast Inflation and Deflation
  - 2 on Board built in Molded Cup Holders
  - · Great for Pool, Beach, Lake, River Tubing
  - Dimensions Inflated 66 x 42 IN









- EZ Zippered Lid Allows Access to 30 Pack Cooler Capacity Great for Keeping your Beverages Cold
- While on Boat, Lake, Pool, or Beach 4 Molded Beverage Cup Holders
- . Tote Handles for Easy Transport
- . Speed Valve for Fast Inflation and Deflation

PARTY LARGE FLOATING COOLER WITH CUPHOLDERS

WWW.WOWWATERSPORTS.COM



## 2K TOWABLE ROPE LENGTH 60 Feet (18.3 meter) (11-3000)

This 2K towable rope is custom made to tow any tube up to 1-2 riders. This 2K rope also struts a floating foam rope buoy so rope is easy to locate in the water.

- 2375 Pound (1.08 Mg) Break Strength
- Manufactured with Minimum Stretch Design
- Heavy-Duty 3/8 Inch 12 Strand Rope Construction
- · Floating Foam Buoy



# 4K TOWABLE ROPE LENGTH 60 Feet (18.3 meter) (11-3010)

This 4K towable rope is custom made to tow any tube up to 4 riders. This 4K rope also struts a floating foam rope buoy so rope is easy to locate in the water.

- 4100 Pound (1.86 Mg) Break Strength
- Manufactured with Minimum Stretch Design
- Heavy-Duty 5/8 Inch 16 Strand Rope Construction
- Floating Foam Buoy



## 6K TOWABLE ROPE LENGTH 60 Feet (18.3 meter) (11-3020)

This 6K towable rope is custom made to tow any tube up to 6 riders. This 6K rope also struts a floating foam rope buoy so rope is easy to locate in the water.

- 6100 Pound (2.77 Mg) Break Strength
- Manufactured with Minimum Stretch Design
- Heavy-Duty 3/4 Inch 16 Strand Rope Construction
- Floating Foam Buoy



# 4K Y-CONNECT (11-3030)


This Y Connector with provides a central tow attachment point behind your boat. Simply attach to your boat and then your towable and your off and riding.

- Manufactured with Minimum Stretch Design
- EZ Aluminum Connector for quick hook up
- . Heavy-Duty Construction
- Floating Foam Buoy



This 4K EZ Tow Connector makes it easy to • 4100 Pound (1.86 Mg) Break Strength attach and detach tow ropes to any towable. Simply attach the connector to the towable's tow strap instead of having to thread a long 60 foot rope through the strap.

- 11 INCH Length rope with EZ Aluminum Connector
- Manufactured with Minimum Stretch Design
- . Heavy-Duty Construction



### **FOOT PUMP (11-4030)**

This No-fuss foot pump uses high-volume bellows action to inflate or deflate towables, boats, airbeds and other inflatables. Durable heavy-duty construction with 3 universal adapters that fits all types of valves. You don't have to have a power source to experience convenience when you need on the spot inflation.

- Low-Pressure, High-Volume Step Down Action
- Inflates and Deflates with Long Flexible Hose
- Foot Pump is Suitable for Small to Medium-Size Inflatables
- Features Inflation and a Deflation Port
- . Universal Nozzles Adapt to All Types of Valves.
- · Collapses for Easy Storage
- Flexible Corrugated Hose



# **DOUBLE ACTION HAND PUMP (11-4000)**

This heavy-duty molded plastic pump is designed to inflate/deflate any size infltable's with less effort due to its continuous stream of air with both up and down strokes. This Double Action Hand Pump can also be used as a handy bilge or deflator.

- 2.0 Liters Per Stroke Air Output
- Features Inflate and Deflate and Bilge Capabilities
- Inflates/Deflates Inflatables Big or Small
- Universal Nozzles Adapt to All Types of Valves.
- Flexible Corrugated Hose
- Comfortable Contour Handle
- Small Size for Easy Storage



### 3.0 PSI PUMP (11-4020)

This 110-volt pump is great for large watertoys when you want to inflate and deflate with super speed convenience. Comes with assortment of locking nozzles to adapt to ones needs and has a high volume, low pressure output.

- High Volume Low Pressure Output
- · Folding Carry Handle for Easy Portability
- Inflates/Deflates Inflatables Big or Small
- Universal Nozzles Adapt to All Types of Valves. Large Flexible Corrugated Hose
- 10ft Heavy-Duty Cord
- 120v AC Grounded Plug



# 2.5 PSI PUMP (11-4010)

This 110-volt will inflate and deflate any inflatables with the speed and convenience you are looking for. Comes with assortment of locking nozzles to adapt to ones needs and has a high volume, low pressure output.

- High Volume Low Pressure Output
- · Folding Carry Handle for Easy Portability • Inflates/Deflates Inflatables Big or Small
- . Universal Nozzles Adapt to All Types of Valves.
- Heavy-Duty Hose Connections Locks
- 6ft Heavy-Duty Cord
- 120v AC Grounded Plug



# **12V HIGH PRESSURE AIR PUMP (11-4040)**

This pump comes with a pressure release valve that produces 3 times the air pressure as other 12V pumps on the market. Universal nozzles adapt to all types of valves, plus a pressure release valve limits the output to 1.4 psi to achieve the correct inflation levels for towables and pool toys. The EZ CLIPS allows you to hook up to your car, truck, or boat battery for on the spot inflation.

- Inflates/Deflates Inflatables Big or Small
- . Universal Nozzles Adapt to All Types of Valves. • Pressure Release Valve for High Pressure Output
- EZ CLIPS with 10ft Heavy-Duty Power Cord to
- Hook Up to Your Car or Truck or Boat Battery for on the Spot Inflation
- Draws 28 amps/340 Watts
- Volume is 410 liters/min Max Pressure 2.5 psi



WWW.WOWWATERSPORTS.COM WWW.WOWWATERSPORTS.COM

ON NON WE